




Excellium Pro Concentrate

Additives for professionals

A high performance multifunctional additive package designed for Diesel vehicles.



Cleans the engine and reduces friction losses of the fuel injection equipment. These features contribute to fuel economy and reduction of CO₂ as well as pollutants.

Adapted to biofuel content
Performs in all fuels, even with high amount of biosourced bases. Counterbalances all the constraints linked to the biofuel properties (eg. poor FAME oxidation stability).



- ✓ Registered on the EPA list of Diesel fuel additives
- ✓ Storage: up to 50°C
- ✓ Shelf-life: up to 24 months
- ✓ Packaging: 1000L container, 185kg drum, 5L can



Engine cleanliness

OCOMBUSTION BOOST

Stability increase

OCOMBUSTION

Stability increase

Anti-wear enhancement

Anti-wear enhancement

Anti-corrosion improvement




Additives for professionals

A high performance multifunctional additive package designed for Diesel vehicles.



Cleans the engine and reduces friction losses of the fuel injection equipment. These features contribute to fuel economy and reduction of CO₂ as well as pollutants.

Adapted to biofuel content
Performs in all fuels, even with high amount of biosourced bases. Counterbalances all the constraints linked to the biofuel properties (eg. poor FAME oxidation stability).




✓ Storage: up to 50°C

✓ Shelf-life: up to 24 months

✓ Packaging: 1000L container, 185kg drum, 5L can







Excellium Pro Concentrate Winter

Additives for professionals

A high performance multifunctional additive package designed for Diesel vehicles.

Designed for the new engine technologies (fuel pressure increase, stringency of emission standards...)

Cleans the engine and reduces friction losses of the fuel injection equipment. These features contribute to fuel economy and reduction of CO₂ as well as pollutants.

Adapted to biofuel content
Performs in all fuels, even with high amount of biosourced bases. Counterbalances all the constraints linked to the biofuel properties (eg. poor FAME oxidation stability).

Optimized formula for cold periods
Improves vehicles start and run by preventing crystallization of paraffins.

- ✓ Storage: up to 50°C
- ✓ **Shelf-life:** up to 24 months
- ✓ Packaging: 1000L container, 185kg drum, 5L can