


Our lives first!



# Hot work



# Hot work



Location \_\_\_\_\_ Date \_\_\_\_\_

Company observed \_\_\_\_\_ Permit No. \_\_\_\_\_

YES NO N/A

## POINTS TO BE CHECKED

**1** Have the «Pre-job briefing» and «Safety green light» been carried out?

**2** Is the hot work permit validated?

**3** Use the checklist "Work on de-energized systems" for each energy and answer: do all applicable points comply?

**4** Do personnel performing the activity wear specific PPE for the task?

**5** In an area with a potentially explosive atmosphere, has a gas test been completed prior to hot work?

**6** In an area with a potentially explosive atmosphere, is continuous monitoring of the atmosphere or is gas testing with a defined frequency carried out, and results monitored?

**7** Are drains, openings and vents shielded?

**8** Have all combustible materials been removed, covered or kept wet in the hot work area?

**9** When required by the work permit, are spark protection covers in place?

**10** Has firefighting equipment been inspected, is it available at hot work site and ready for use?

**11** When required by the work permit, is the fire watch in place?

**12** Are all personnel involved in the work out of the line of fire and others not directly involved kept out?

Comments \_\_\_\_\_

Name \_\_\_\_\_

Company \_\_\_\_\_

Signature \_\_\_\_\_