

RUBIA FLEET HD 700 15W-40

Date of previous version **Revision Date** Version

31 August 2016

SECTION 1: IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

1.1 Product Identifier

Product Name Rubia Fleet HD 700 15W-40

Substance / Mixture Mixture **Synonyms Hydrocarbons**

C.A.S. No. Hazchem No.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified Uses

1.3. Details of the supplier of the safety data sheet

Supplier TOTAL OIL INDIA PVT. LTD., Lubricants Division

The Leela Galleria, 3rd Floor

Andheri Kurla Road

Andheri East, Mumbai 400 059

India

Emergency telephones: +9102266407700 Fax: +9102266407720

SECTION 2: HAZARDS IDENTIFICATION

The preparation is non-dangerous in accordance with Directive 1999/45/EC.

Classification The substance/mixture is non-dangerous in accordance with Directive(s)

67/548/EEC with amendments and/or 1999/45/EC with amendments.

Symbol(s)

Most Important Hazards

Health effects May produce an allergic reaction.

Environmental effects Should not be released into the environment. Physical-Chemical hazards Contaminated surfaces will be extremely slippery.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

PREPARATION

Petroleum-derived severely refined mineral-base product in which the Chemical Nature

polycyclic aromatic hydrocarbons (PCA or PAH) content, measured by IP 346, is

less than 3%

Substances contributing to hazards Petroleum distillate hydro treated CAS 64742-46-7 (Xn-R65)... max 18%

Impurities contributing to hazards None to our knowledge



RUBIA FLEET HD 700 15W-40

Date of previous version Revision Date Version 31 August 2016

Chemical Name	EC No.	REACH reg. no.	CAS No.	Weight %	Classification (Reg. 1272/2008)
Distillates (petroleum), hydrotreated heavy paraffinic***	265-157-1***	01-2119484627-25	64742-54-7	3-<5	Asp. Tox. 1 (H304)
Amines,polyethylenepoly-,re action products with 1,3-dioxolan- 2-one and succinic anhydride monopolyisobutenyl derivs***			147880-09-9	2.5-<5	Aquatic Chronic 4 (H413)
Zinc alkyldithiophosphate***	272-028-3***	01-2119657973-23	68649-42-3	1-<2.5	Eye Dam. 1 (H318) Aquatic Chronic 2 (H411)
Calcium long chain alkarylsulphonate***		EXEMPT		1-<2.5	Aquatic Chronic 4 (H413)
Calcium long chain alkarylsulphonate ***			722503-69-7	0.25-<1	Skin Sens. 1 (H317) Aquatic Chronic 4 (H413)
Calcium long chain alkaryl sulfonate***			722503-68-6	0.1-<0.25	Aquatic Chronic 4 (H413) Skin Sens.1 (H317)

Additional information Product containing mineral oil with less than 3% DMSO extract as measured by IP 346. For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: FIRST AID MEASURES

4.1. Description of first-aid measures

General advice IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR

EMERGENCY MEDICAL CARE.

Eye contact Rinse thoroughly with plenty of water, also under the eyelids.

Skin Contact Remove contaminated clothing and shoes. Wash off with soap and water. Wash

contaminated clothing before reuse.

Inhalation Move to fresh air.

Ingestion Do NOT induce vomiting. Never give anything by mouth to an unconscious

person. Call a physician or Poison Control Center immediately.

4.2. Most important symptoms and effects, both acute and delayed Eye contact Severely irritating to eyes

Skin Contact Not classified.

Inhalation Not classified. Inhalation of vapors in high concentration may cause irritation of

respiratory system.

Ingestion Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting

and diarrhea.

4.3. Indication of immediate medical attention and special treatment needed, if necessary

SECTION 5: FIRE FIGHTING MEASURES

5.1. Extinguishing media



RUBIA FLEET HD 700 15W-40

Date of previous version Revision Date Version 31 August 2016

Suitable Extinguishing Media Carbon dioxide (CO 2). ABC powder. Foam. Water spray or fog.
Unsuitable Extinguishing Media Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Special Hazard Incomplete combustion and thermolysis may produce gases of varying toxicity

such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may be highly dangerous if inhaled in confined spaces or at high

concentration.

5.3. Advice for fire-fighters

Special protective equipment for

fire-fighters

Wear self-contained breathing apparatus and protective suit.

Other information Cool containers / tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.





SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

General Information Do not touch or walk through spilled material. Contaminated surfaces will be

extremely slippery. Use personal protective equipment. Ensure adequate

entilation. Remove all sources of ignition.

6.2. Environmental precautions

General Information Do not allow material to contaminate ground water system. Try to prevent the

material from entering drains or water courses. Local authorities should be

advised if significant spillages cannot be contained.

6.3. Methods and materials for containment and cleaning up

Methods for cleaning up Dam up. Contain spillage, and then collect with non-combustible absorbent

material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

Keep in suitable, closed containers for disposal.

6.4. Reference to other sections

Personal Protective Equipment See Section 8 for more detail.

Waste treatment See section 13.

SECTION 7: HANDLING & STORAGE

7.1. Precautions for safe handling

Advice on safe handling When using, do not eat, drink or smoke. For personal protection see section 8.



RUBIA FLEET HD 700 15W-40

Date of previous version Revision Date Version 31 August 2016

Use only in well-ventilated areas. Do not breathe vapors or spray mist. Avoid

contact with skin, eyes and clothing.

Prevention of fire and explosion Take precautionary measures against static discharges: Ground/bond

containers, tanks and transfer/receiving equipment.

Hygiene measures Ensure the application of strict rules of hygiene by the personnel exposed to the

risk of contact with the product. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Do not use abrasives, solvents or fuels. Do not dry hands with rags that have been contaminated with product. Do not put product

contaminated rags into work wear pockets.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures/Storage Keep away from food, drink and animal feeding stuffs. Keep in a bounded area. Keep container tightly closed. Keep preferably in the original container.

Keep container tightly closed. Keep preferably in the original container. Otherwise reproduce all indication of the regulation label on the new container. Do not remove the hazard labels of the containers (even if they are empty). Design the installations in order to avoid accidental emissions of product (due to seal breakage, for example) onto hot casings or electrical contacts. Protect

from frost, heat and sunlight. Protect from moisture.

Materials to Avoid Strong oxidizing agents.

7.3. Specific end uses

Specific use(s) No information available.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits USA: OSHA (PEL) TWA 5 mg/m3, NIOSH (REL) TWA 5 mg/m3, STEL 10 mg/m3,

ACGIH (TLV) TWA 5 mg/m3 (highly refined)

Legend TWA Time Weight Average

STEL Short Time Exposure Limit

+ Sensitizer

* Skin designation

** Hazard Designation

C Carcinogen

M Mutagen

R Toxic to reproduction

8.2. Exposure controls

Occupational Exposure Controls

Engineering Measures Apply technical measures to comply with the occupational exposure limits.

When working in confined spaces (tanks, containers, etc.), ensure that there is a sumply of air suitable for breathing and wear the recommended equipment

supply of air suitable for breathing and wear the recommended equipment.

Personal Protective Equipment

appropriate protective equipment suppliers. These recommendations apply to

the product as supplied.



RUBIA FLEET HD 700 15W-40

Date of previous version Revision Date Version 31 August 2016

Respiratory protection When workers are facing concentrations above the exposure limit they must

use appropriate certified respirators. Respirator with combination filter for vapor / particulate (EN 14387). Type A/P2. The use of breathing apparatus must comply strictly with the manufacturer's instructions and the regulations

governing their choices and uses.

Eye Protection If splashes are likely to occur, wear:. Safety glasses with side-shields.

Skin and body protection Wear suitable protective clothing. Protective shoes or boots. Long sleeved

clothing.

Hand Protection Hydrocarbon-proof gloves: Fluorinated rubber, Nitrile rubber. Please observe

the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier

of the EC approved gloves.

Environmental exposure controls

General Information The product should not be allowed to enter drains, water courses or the soil.







SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Color

Physical State @20°C

Odor No information available

Property	Values	Remarks	Method
рН		Not applicable	
Boiling point		Not applicable	
Flash point	232°C		Cleveland Open Cup (COC)
Evaporation Rate		No information available	
Flammability Limits in Air		No information available	
Vapor Pressure		No information available	
Vapor density		No information available	
Density	889 kg/m³	@ 15 °C	
Water solubility		Not applicable	
Solubility in other solvents		No information available	
logPow		No information available	
Autoignition temperature		Not applicable	
Viscosity, kinematic	101	@ 40 °C	

Page 5 of 10



RUBIA FLEET HD 700 15W-40

Date of previous version Revision Date Version 31 August 2016

13.5 – 18.5 cSt @ 100 °C

Explosive properties

Not explosive

Oxidizing Properties
Possibility of hazardous

Not applicable

reactions Not applicable

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

General Information No information available.

10.2. Chemical stability

Stability Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous Reactions None under normal processing.

10.4. Conditions to Avoid

Conditions to Avoid

Heat (temperatures above flash point), sparks, ignition points, flames, static

electricity.

10.5. Incompatible Materials

Materials to Avoid Strong oxidizing agents.

10.6. Hazardous Decomposition

Products

Hazardous Decomposition Products None under normal use.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity - Product Information

Skin Contact Not classified. May produce an allergic reaction.

Eye Contact Severely irritating to eyes.

Inhalation Inhalation of vapors in high concentration may cause irritation of respiratory

system.

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Acute toxicity - Component Information

Sensitization

Sensitization Not classified as a sensitizer. Contains sensitizer(s). May produce an allergic

Page 6 of 10



RUBIA FLEET HD 700 15W-40

Date of previous version Revision Date Version
31 August 2016

reaction.

Specific effects

Carcinogenicity This product is not classified carcinogenic. During use in engines,

contamination of oil with low levels of combustion products occurs. Used motor oils have been shown to cause skin cancer in mice following repeated application and continuous exposure. Brief or intermittent skin contact with used motor oil is not expected to have serious effects in humans if the oil is

thoroughly removed by washing with soap and water.

Mutagenicity This product is not classified as mutagenic.

Reproductive toxicity This product does not present any known or suspected reproductive hazards.

Repeated Dose Toxicity

Subchronic toxicity No information available.

Target Organ Effects (STOT)

Target Organ Effects (STOT) No information available.

Other information

Other adverse effects Characteristic skin lesions (pimples) may develop following prolonged and

repeated exposures (contact with contaminated clothing).

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Not classified.

An additive present in the composition of this product would require a classification, however available experimental data indicate that no classification is required.

Acute aquatic toxicity - Product Information

No information available.

Acute aquatic toxicity - Component Information

Chemical Name	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates	Toxicity to fish	Toxicity to microorganisms
Distillates (petroleum), hydrotreated heavy paraffinic*** 64742-54- 7	EL50 (48h) > 100 mg/l (Pseudokirchnerella subcapitata - OECD 201)	EL50 (48h) > 10000 mg/l (Daphnia magna - OECD 202)	LL50 (96h) > 100 mg/l (Oncorhynchus mykiss - OECD 203)	
Zinc alkyldithiophosphate*** 68649-42-3	EC50 (72h) 2.2 mg/l	EC50 (48h) 1.2 mg/l (Daphnia magna)	LC50 (96h) 4.5 mg/l	



RUBIA FLEET HD 700 15W-40

Date of previous version Revision Date Version 31 August 2016

<u>Chronic aquatic toxicity - Product Information</u>

No information available.

Chronic aquatic toxicity - Component Information

Chemical Name	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates	Toxicity to fish	Toxicity to microorganisms
Distillates (petroleum), hydrotreated heavy paraffinic*** 64742-54- 7		NOEL (21d) 10 mg/l (Daphnia magna - QSAR Petrotox)	NOEL (14/28d) > 1000 mg/l (Oncorhynchus mykiss - QSAR Petrotox)	
Zinc alkyldithiophosphate*** 68649-42-3	NOEC 1.0 mg/l	NOEC (21d) 0.4 mg/l (Daphnia magna)	NOEC(28d) 1.8 mg/l	

Effects on terrestrial organisms

No information available.

12.2 Persistence and degradability

General Information

No information available.

12.3 Bioaccumulative Potential

Product Information No information available.

logPow No information available

12.4 Mobility in soil

Soil With its physio-chemical properties, the product shows low soil mobility.

Air Loss by evaporation is limited.

Water Insoluble. The product spreads on the surface of the water.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment No information available.

12.6. Other adverse effects

General Information No information available.

SECTION 13: DISPOSAL CONSIDERATIONS



RUBIA FLEET HD 700 15W-40

Date of previous version Revision Date Version

31 August 2016 1

Waste from Residues / Unused

Products

Should not be released into the environment. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations. Where possible recycling is preferred to disposal or incineration. After use, this oil must be sent to a licensed waste oil facility. Incorrect disposal of used oil poses a risk to the environment. Mixture with other waste types such as solvents, brake- and cooling liquids is

forbidden.

Contaminated packaging Empty containers should be taken to an approved waste handling site for

recycling or disposal.

The following Waste Codes are only suggestions: 13 02 05. According to the EWC Waste Disposal No.

> European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the

application for which the product was used.

SECTION 14: TRANSPORT INFORMATION

UN Number unregulated

Road(ADR)/Rail(RID)/River(ADNR) Not restricted for transport Marine (IMO-IMDG) Not restricted for transport Airline (ICAO / IATA) Not restricted for transport

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

International Inventories No information available

15.2. Chemical Safety Assessment

Chemical Safety Assessment No information available

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H304 - May be fatal if swallowed and enters airways

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H411 - Toxic to aquatic life with long lasting effects

H413 - May cause long lasting harmful effects to aquatic life***

Full text of R-phrases referred to under sections 2 and 3

R38 - Irritating to skin



RUBIA FLEET HD 700 15W-40

Date of previous version Revision Date Version 31 August 2016

R43 - May cause sensitization by skin contact

R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

Disclaimer

This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by the user that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfil his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.

End of the safety data sheet