



LUBRICATION ENGINEERING

WWW.LUBRILOG.FR



## **FLUOSTAR® 2 L** High Quality Fluorinated Grease

# High quality fluorinated grease for the lubrication of corrugator, pre-heater and pressure rolls bearings

FLUOSTAR® represent a range of high quality greases based on specific perfluorinated oils. FLUOSTAR® greases are recommended when the other lubricants, mineral or synthetic, cannot meet the most requested specifications:

- Exceptional high-temperature stability
- Excellent chemical inertness (gas and aggressive liquids)
- Non-flammable
- Full compatibility with all plastics and elastomers
- Very long life time
- Very low friction
- Good viscosity-temperature behavior
- Very low vapor tension
- Good resistance to nuclear radiations
- Non toxic

#### **Benefits**

- Full efficient lubricant
- Very long lasting lubrication

- Very competitive price






FLUOSTAR<sup>®</sup> 2 L grease is used all around the world for the lubrication of corrugated rolls bearings in cardboard industry. The high performances of FLUOSTAR<sup>®</sup> 2 L are improved to meet perfectly all the constraints of this application. The quality of FLUOSTAR<sup>®</sup> 2 L is approved by different OEM who added this product on their lubrication table.

#### CORRUGATED AND PRE-HEATER ROLL BEARINGS LUBRICATION

FLUOSTAR® 2 L is fully suitable for the long lasting lubrication of the double row spherical roller bearings exposed to high temperature and steam atmosphere.



#### LUBRICATION OF THE CORRUGATED ROLLERS



LUBRILOG L A 15 and/or LUBRILOG L A 68 are white oils, NSF H 1 approved lubricants, for the cleaning and lubrication of the flutings.

DISC CUT SYSTEM LUBRICATION



LUBRILOG L A 68 are white oils, NSF H 1 approved lubricants, for the rotary disc cutter lubrication in cardboard industry.

LUBRILOG already supply many customers on BHS, AGNATI, MITSUBISHI, PETERS, SIMON, etc... materials, such as : INTERNATIONAL PAPER, DS SMITH, MONDI, EMIN LEYDIER, ONDULYS, CGW, SEYFERT

Prefered supplier agreement from





### LUBRICATION ENGINEERING





LUBRILOG SA Z.I. des Chasses - 18 rue Nicolas Appert - BP 60261 - F. 26106 Romans Cedex T : +33 (0)4 75 45 26 00 - F : +33 (0)4 75 45 18 65 - e-mail : contact@lubrilog.fr

WWW.LUBRILOG.FR