

according to the Global Harmonized System

SDS #: 082873 HI-PERF 4T SPORT+ 10W-40

# 1. IDENTIFICATION OF THE SUBSTANCE OR MIXTURE AND OF THE SUPPLIER

Product identifier

Product name HI-PERF 4T SPORT+ 10W-40

Other means of identification

Number 9SJ Substance/mixture Mixture

Recommended use of the chemical and restrictions on use

**Identified uses** Automotive (motor) oil, 4-stroke.

Details of the supplier of the safety data sheet

Supplier TOTAL OIL ASIA PACIFIC PTE LTD

331 North Bridge Road #23-01 Odeon Towers Singapore 188720 Tel: +65 6879 2200 Fax: +65 6879 2203

TOTAL LUBRIFIANTS 562 Avenue du Parc de L'ile 92029 Nanterre Cedex

**FRANCE** 

Tel: +33 (0)1 41 35 40 00 Fax: +33 (0)1 41 35 84 71

See section 16 for additional information

For further information, please contact: Contact Point HSE

E-mail Address ms.ap-sds@total.com

Emergency telephone

Asia-Pacific: +65 3158 1074 Middle-East: +44 1235 239671

## 2. HAZARDS IDENTIFICATION

#### Classification of the substance or mixture

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS)



according to the Global Harmonized System

SDS #: 082873 HI-PERF 4T SPORT+ 10W-40

None

GHS Label elements, including precautionary statements

Signal word

**Hazard Statements** 

None

Other hazards which do not result in classification

Physical-Chemical Properties Environmental properties Contaminated surfaces will be extremely slippery

The product may form an oil film on the water surface that may stop the oxygen exchange.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Mixture</u>

Chemical nature Mineral oil of petroleum origin

Chemical Name	CAS-No	EC-No	Weight %
Distillates (petroleum), hydrotreate	ed 64742-54-7	265-157-1	10-<20
heavy paraffinic			

Additional information Product containing mineral oil with less than 3% DMSO extract as measured by IP 346

## 4. FIRST AID MEASURES

#### Description of necessary first-aid measures

General advice IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR

EMERGENCY MEDICAL CARE.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Keep eye wide open while rinsing.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Wash contaminated clothing before reuse.

**Inhalation** Remove casualty to fresh air and keep at rest in a position comfortable for breathing. If not

breathing, give artificial respiration.



according to the Global Harmonized System

SDS #: 082873 HI-PERF 4T SPORT+ 10W-40

Ingestion Clean mouth with water. Do NOT induce vomiting. Never give anything by mouth to an

unconscious person. Call a physician or Poison Control Center immediately.

**Protection of First-aiders** First aider needs to protect himself. See Section 8 for more detail. Do not use

mouth-to-mouth method if victim ingested or inhaled the substance; induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper

respiratory medical device.

Most important symptoms/effects, acute and delayed

**Skin contact** Not classified based on available data.

Eye contact Not classified based on available data.

Inhalation Not classified based on available data. Inhalation of vapors in high concentration may

cause irritation of respiratory system.

Ingestion Not classified based on available data. Ingestion may cause gastrointestinal irritation,

nausea, vomiting and diarrhea.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Treat symptomatically.

#### 5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Suitable Extinguishing Media Carbon dioxide (CO2). ABC powder. Foam. Water spray or fog.

**Unsuitable Extinguishing Media**Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the chemical

Special Hazard Incomplete combustion and thermolysis may produce gases of varying toxicity such as

carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may be highly dangerous if inhaled in confined spaces or at high concentration. Combustion products include sulphur oxides ( SO2 and SO3 ) and Hydrogen sulphide H2S.

Phosphorous oxides. Nitrogen oxides (NOx). Mercaptans. Zinc oxides.

Advice for fire-fighters

Special protective equipment for

fire-fighters

Wear self-contained breathing apparatus and protective suit.

Other information Cool containers / tanks with water spray. Fire residues and contaminated fire extinguishing

water must be disposed of in accordance with local regulations.



according to the Global Harmonized System

SDS #: 082873 HI-PERF 4T SPORT+ 10W-40

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

General Information Do not touch or walk through spilled material. Contaminated surfaces will be extremely

slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all

sources of ignition.

Environmental precautions

**General Information**Do not allow material to contaminate ground water system. Prevent entry into waterways,

sewers, basements or confined areas. Local authorities should be advised if significant

spillages cannot be contained.

Methods and material for containment and cleaning up

**Methods for containment**Dike to collect large liquid spills. If necessary dike the product with dry earth, sand or

similar non-combustible materials.

Methods for cleaning up Dispose of contents/container in accordance with local regulation. In case of soil

contamination, remove contaminated soil for remediation or disposal, in accordance with

local regulations.

Other information

Personal Protective Equipment See Section 8 for more detail.

Waste treatment See section 13.

#### 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling For personal protection see section 8. Use only in well-ventilated areas. Do not breathe

vapors or spray mist. Avoid contact with skin, eyes and clothing.

**Prevention of fire and explosion** Take precautionary measures against static discharges.

**Hygiene measures** Ensure the application of strict rules of hygiene by the personnel exposed to the risk of

contact with the product. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product. Regular cleaning of equipment, work area and clothing is recommended. Do not use abrasives, solvents or fuels. Do not dry

hands with rags that have been contaminated with product. Do not put product

contaminated rags into workwear pockets.

Conditions for safe storage, including any incompatibilities



according to the Global Harmonized System

SDS #: 082873 HI-PERF 4T SPORT+ 10W-40

Technical measures/Storage

conditions

Keep away from food, drink and animal feedingstuffs. Keep in a bunded area. Keep container tightly closed. Keep preferably in the original container. Otherwise reproduce all indication of the regulation label on the new container. Do not remove the hazard labels of the containers (even if they are empty). Design the installations in order to avoid accidental emissions of product (due to seal breakage, for example) onto hot casings or electrical contacts. Store at room temperature. Protect from moisture.

Materials to Avoid Strong oxidizing agents.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

**Exposure limits** Mineral oil mist:

USA: OSHA (PEL) TWA 5 mg/m3, NIOSH (REL) TWA 5 mg/m3, STEL 10 mg/m3, ACGIH

(TLV) TWA 5 mg/m<sup>3</sup> (highly refined).

#### Appropriate engineering controls

**Engineering Measures** 

Apply technical measures to comply with the occupational exposure limits. Ensure adequate ventilation, especially in confined areas. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.

Individual protection measures, such as personal protective equipment (PPE)

**Personal Protective Equipment** 

**General Information** Protective engineering solutions should be implemented and in use before personal

protective equipment is considered. The personal protective equipment (PPE)

recommendations apply to the product ITSELF. In case of mixtures or formulations, it is

suggested that you contact the relevant PPE suppliers.

**Respiratory protection**None under normal use conditions. When workers are facing concentrations above the

exposure limit they must use appropriate certified respirators. Respirator with combination filter for vapour/particulate (EN 14387): Type A/P1. Warning! filters have a limited use duration. The use of breathing apparatus must comply strictly with the manufacturer's

instructions and the regulations governing their choices and uses.

**Eye Protection** If splashes are likely to occur, wear:. Safety glasses with side-shields. EN 166.

**Skin and body protection** Wear suitable protective clothing. Protective shoes or boots. Long sleeved clothing. Type

4/6.



according to the Global Harmonized System

SDS #: 082873 HI-PERF 4T SPORT+ 10W-40

#### **Hand Protection**

Hydrocarbon-proof gloves: Fluorinated rubber, Nitrile rubber. In case of prolonged contact with the product, it is recommended to wear gloves complying with EN 420 and EN 374 standards, protecting at least for 480 minutes and having a thickness of 0,38 mm at least. These values are indicative only. The level of protection is provided by the material of the glove, its technical characteristics, its resistance to the chemicals to be handled, the appropriateness of its use and its replacement frequency. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### **General Information**

Color yellow Physical State @20°C liquid

**Odor** Characteristic

Odor Threshold No information available

# Important health safety and environmental information

Property	<u>Values</u>	Remarks	Method
pH Melting point/range		Not applicable Not applicable	
Boiling point/boiling range		No information available	
Flash point  Evaporation rate Flammability Limits in Air	<b>242 °C</b> 468 °F	No information available No information available	ASTM D92 ASTM D92.
upper Lower Vapor Pressure Vapor density Relative density Density Water solubility Solubility in other solvents logPow	0.8678 867.8 kg/m³	No information available No information available No information available No information available @ 15 °C @ 15 °C Insoluble No information available No information available	ASTM D4052 ASTM D4052
Autoignition temperature		No information available	



according to the Global Harmonized System

SDS #: 082873 HI-PERF 4T SPORT+ 10W-40

**Issuing date: 2018-02-28 Revision Date: 2018-02-28** Version 1

**Decomposition temperature** 

No information available 99.44 mm2/s

Viscosity, kinematic

@ 40 °C

ASTM D445

**Explosive properties Oxidizing Properties**  Not explosive Not applicable

Possibility of hazardous reactions

None under normal processing

**Other information** 

**Freezing Point** No information available

#### 10. STABILITY AND REACTIVITY

Reactivity None under normal processing.

Stable under recommended storage conditions. Chemical stability

Possibility of hazardous reactions No dangerous reaction known under conditions of normal use.

Conditions to avoid Keep away from open flames, hot surfaces and sources of ignition. Keep away from heat

and sparks.

Strong oxidizing agents. Materials to Avoid

Hazardous Decomposition Products Incomplete combustion and thermolysis may produce gases of varying toxicity such as

carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. Combustion products include sulphur oxides (SO2 and SO3) and Hydrogen sulphide H2S. Mercaptans.

Nitrogen oxides (NOx). Phosphorous oxides. Zinc oxides.

## 11. TOXICOLOGICAL INFORMATION

# Information on likely routes of exposure

Inhalation Not classified based on available data. Inhalation of vapors in high concentration may

cause irritation of respiratory system.

Ingestion Not classified based on available data. Ingestion may cause gastrointestinal irritation,

nausea, vomiting and diarrhea.

Skin contact Not classified based on available data.

Eye contact Not classified based on available data.



according to the Global Harmonized System

SDS #: 082873 HI-PERF 4T SPORT+ 10W-40

Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Acute toxicity - Product Information

**Oral**Not classified based on available data. 2E-07 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

**Dermal** Not classified based on available data. 2E-07 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

**Inhalation** Not classified based on available data. 2E-07 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity

#### **Acute toxicity - Component Information**

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Distillates (petroleum), hydrotreated	LD50 > 5000 mg/kg bw (rat - OECD	LD50 > 5000 mg/kg bw (rabbit -	LC50 (4h) > 5 mg/l (aerosol) (rat -
heavy paraffinic	420)	OECD 402)	OECD 403)

Skin corrosion/irritationNot classified based on available data.Serious eye damage/eye irritationNot classified based on available data.SensitizationNot classified based on available data.

Carcinogenicity Not classified based on available data. During use in engines, contamination of oil with low

levels of combustion products occurs. Used motor oils have been shown to cause skin cancer in mice following repeated application and continuous exposure. Brief or intermittent skin contact with used motor oil is not expected to have serious effects in humans if the oil

is thoroughly removed by washing with soap and water.

Germ Cell Mutagenicity Not classified based on available data

**Reproductive toxicity** Not classified based on available data.

Target Organ Effects (STOT) None known

STOT - single exposure Not classified based on available data

STOT - repeated exposure Not classified based on available data



according to the Global Harmonized System

SDS #: 082873 HI-PERF 4T SPORT+ 10W-40

**Aspiration hazard** Not classified based on available data.

Other adverse effects Characteristic skin lesions (pimples) may develop following prolonged and repeated

exposures (contact with contaminated clothing).

# 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

Not classified based on available data.

## Acute aquatic toxicity - Product Information

No information available.

## Acute aquatic toxicity - Component Information

Chemical Name	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates	Toxicity to fish	Toxicity to microorganisms
Distillates (petroleum),	EL50 (48h) > 100 mg/l	EL50 (48h) > 10000 mg/l	LL50 (96h) > 100 mg/l	
hydrotreated heavy	(Pseudokirchnerella	(Daphnia magna - OECD	(Oncorhynchus mykiss -	
paraffinic	subcapitata - OECD 201)	202)	OECD 203)	
64742-54-7				

## Chronic aquatic toxicity - Product Information

No information available.

## **Chronic aquatic toxicity - Component Information**

Chemical Name	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates	Toxicity to fish	Toxicity to microorganisms
Distillates (petroleum), hydrotreated heavy paraffinic		NOEL (21d) 10 mg/l (Daphnia magna - QSAR Petrotox)	NOEL (14/28d) > 1000 mg/l (Oncorhynchus mykiss - QSAR Petrotox)	
64742-54-7		,	,	

Effects on terrestrial organisms No information available.

#### Persistence and degradability

No information available.

Version GHS-APG

.



according to the Global Harmonized System

SDS #: 082873 HI-PERF 4T SPORT+ 10W-40

**Bioaccumulative potential** 

Product Information No information available.

logPow No information available

**Component Information** 

Chemical Name	log Pow
Distillates (petroleum), hydrotreated heavy paraffinic - 64742-54-7	-

**Mobility** 

Soil Given its physical and chemical characteristics, the product generally shows low soil

mobility.

Air Loss by evaporation is limited.

Water The product is insoluble and floats on water.

Other adverse effects

**General Information** No information available.

## 13. DISPOSAL CONSIDERATIONS

Waste from Residues / Unused Should no

Products

Should not be released into the environment. Do not empty into drains. Dispose of in accordance with all applicable national environmental laws and regulations. Where possible

recycling is preferred to disposal or incineration.

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or

disposal.

Other information Refer to section 8 for safety and protective measures for disposal personnel.

# 14. TRANSPORT INFORMATION

ADR/RID Not regulated

IMDG/IMO Not regulated

ICAO/IATA Not regulated

ADN Not regulated



according to the Global Harmonized System

SDS #: 082873 HI-PERF 4T SPORT+ 10W-40

#### 15. REGULATORY INFORMATION

#### **Further information**

No information available

## National regulatory information

No information available

# **16. OTHER INFORMATION**

**Issuing date:** 2018-02-28 **Revision Date:** 2018-02-28

Revision Note No information available.

#### Abbreviations, acronyms

ACGIH = American Conference of Governmental Industrial Hygienists

bw = body weight

bw/day = body weight/day

EC x =Effect Concentration associated with x% response

GLP = Good Laboratory Practice

IARC = International Agency for Research of Cancer

LC50 = 50% Lethal concentration - Concentration of a chemical in air or a chemical in water which causes the death of 50% (one half) of a group of test animals

LD50 = 50% Lethal Dose - Chemical amount, given at once, which causes the death of 50% (one half) of a group of test animals LL = Lethal Loading

NIOSH = National Institute of Occupational Safety and Health

NOAEL = No Observed Adverse Effect Level

NOEC = No Observed Effect Concentration

NOEL = No Observed Effect Level

OECD = Organization for Economic Co-operation and Development

OSHA = Occupational Safety and Health Administration

UVCB = Substance of unknown or Variable composition, Complex reaction products or Biological material

#### Legend

Section 8 ACGIH - American Conference of Governmental Industrial Hygienists

TWA - Time Weight Average

STEL - Short Term Exposure Limits

S\* - Skin notation

Ceiling: Maximum limit value

#### Additional details on the supplier of the product



according to the Global Harmonized System

**SDS #**: 082873 HI-PERF 4T SPORT+ 10W-40

Issuing date: 2018-02-28 **Revision Date: 2018-02-28** Version 1

**U.A.E Supplier** TOTAL MARKETING MIDDLE EAST FZE

Burjuman Business Tower, 11th Floor

Sheikh Khalifa Bin Zayed Road

Dubai P.O. Box 14871

U.A.F

Tel: +971 4 709 50 00 Fax: +971 4 351 91 54

**INDIA Supplier** TOTAL OIL INDIA PVT. LTD.

3rd Floor, The Leela Galleria, Andheri - Kurla Road, Andheri (East), Mumbai Maharashtra State, INDIA 400059

Tel: +91 22 6723 2500 Fax: +91 22 6723 2600

**LEBANON Supplier** TOTAL LIBAN

Rue Achrafieh, Imm. Tilal Bloc B, 2ème Etage

B.P. 11-3636 Beyrouth - Liban

Tel: +961 1 21 22 50 Fax: + 961 1 21 21 33

**PAPUA NEW GUINEA Supplier**  TOTAL OIL ASIA PACIFIC PTE LTD - PNG

**Cuthbertson Street** 

Level 4, Cuthbertson House PO BOX 1784

Port Moresby Papua New Guinea Tel: +675 320 2141 Fax: +675 320 3951 **CAMBODIA** 

TOTAL CAMBODGE Supplier

ANINA Building 6th Floor, No 240, St. 271, B.P600,

12351 Phnom Penh, Cambodia

Tel: +855 23 218 630 Fax: +855 23 217 662

JORDAN Supplier **TOTAL JORDAN** 

Reem Center, 4th Floor 244 Arar Street, Wadi Sagra P.O. Box 831285, Amman 11183

Jordan

Tel: +962 6 500 80 05 Fax: +962 6 500 80 08

PAKISTAN Supplier TOTAL PARCO PAKISTAN LTD

10 Tariq Block, New Garden Town

Lahore 54700, Pakistan Tel: +92 42 111 709 709 Fax: +92 42 354 683 66

**SAUDI ARABIA** 

Supplier

SAUDI TOTAL PETROLEUM PRODUCTS CO.

704, Zahran Business Center Sultan street - Tower A, 7th floor PO Box 4861, Jeddah 21463

K.S.A

Tel: +966 12 22 56 300 Fax: +966 12 22 56 311

This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by the user that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfil his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.

**End of the Safety Data Sheet**